

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Data Sheet

Fujitsu LIFEBOOK S761

Notebook

Boundless Mobility on the Road

The Fujitsu LIFEBOOK S761 is the perfect notebook for users who are looking for a light-weight system but don't want to compromise on performance. With the 33.8cm (13.3-inch) display and starting from just 1.6 kg it is equipped with a full-featured performance processor. Thanks to the modular bay you can extend battery life for working all day. With features like fingerprint sensor and TPM, your notebook is secured from any data theft.

Slim mobility

Enjoy permanent access to all your data thanks to a mobile device that is both, easy and flexible to use.

- Lightweight notebook starting from only 1.66 kg, long battery runtime, extra-thin modular bay for second battery or DVD-drive, optional embedded 3G/UMTS

Latest performance

The latest Intel® technology ensures high performance and mobile productivity.

- Up to 2nd generation Intel® Core™i7 processors, Intel® QM67 chipset, Intel® vPro™ technology

Ergonomic working

Enjoy constant access to all your data thanks to a versatile mobile device. The ScrollWheel enables comfortable scrolling, the independent scroll pad doesn't disturb pointing operation.

- Anti-glare display, 16:9 aspect ratio, HDMI interface, ScrollWheel, optional fingerprint sensor and webcam, port replicator
- Anytime USB Charge to charge phones/media devices even when the system is turned off

Reliable companion


Secure and effective working even for the most demanding of users in all situations.

- Spill-resistant keyboard, ShockSensor, optional magnesium lid and further innovative highlights
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Maximum security

Protect your company data against unauthorized third-party access.

- Computrace® enabled BIOS and Advanced Theft Protection, optional TPM module and optional fingerprint sensor including Omnipass Security Software



Components

Processor	Intel® Core™ i7-2620M processor (2.7 GHz, 4 MB)
	Intel® Core™ i5-2520M processor (2.5 GHz, 3 MB)
	Intel® Core™ i5-2410M processor (2.3 GHz, 3 MB) *
	Intel® Core™ i3-2310M processor (2.1 GHz, 3 MB) *
	Intel® Celeron® processor B810 (1.6 GHz, 2 MB)
	*Processor only for retail, SMB, education and government
Operating system	
Operating system	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit
Operating system compatible	Genuine Windows® XP Professional
Operating system notes	Driver support for Microsoft® Windows® XP Professional Microsoft Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM
	4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM
Base unit memory	LIFEBOOK S761, 13.3-inch HD LIFEBOOK S761, 13.3-inch HD (for projects only)
Supported capacity RAM (max.)	8 GB
Memory slots total	2
Memory slot type	DIMM (DDR3)
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software
	Up to 18 GB of HDD space is reserved for system recovery
WLAN (optional)	Atheros Minicard b/g/n
	Intel® Centrino® 6205 802.11 a/b/g/n
Wireless technologies	
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas (optional), 1 Bluetooth antenna
WLAN notes	Import and usage according to country-specific regulations.
WiDi support	Yes (with Intel W-LAN)
3G/UMTS (optional)	Sierra Wireless Gobi 3000 (UMTS downlink speed 14.4 Mbit/s, UMTS uplink speed 5.76 Mbit/s)
Bluetooth (optional)	Bluetooth 3.0
Display	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 200 cd/m²
	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 200 cd/m²
Modular bay options	2nd battery
	DVD Super Multi
	Weight saver

Base unit	LIFEBOOK S761, 13.3-inch HD	LIFEBOOK S761, 13.3-inch HD (for projects only)
General system information		
Chipset	Intel® QM67	Intel® HM65
Chipset notes	supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i7 processor, Intel W-LAN & TPM module	
BIOS features	BIOS based on Phoenix SecureCore	
Graphics		
TFT resolution (HDMI)	up to 1920 x 1080	
TFT resolution (VGA)	up to 1920 x 1200	
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200	
Max. resolution external display	1920 x 1200 / true color / 60 Hz	
Graphics brand name	Intel® HD Graphics	
Graphics features	DualView	
Graphics notes	Shared memory depending on main memory size and operating system	
Interfaces		
Memory card slots	1 (SD)	1 (SD)
ExpressCard slots	1 (34mm and 54mm supported)	1 (34mm and 54mm supported)
SIM card slot	1 (usable only with 3G/UMTS)	1 (usable only with 3G/UMTS)
Modem (RJ-11)	1 (optional)	1 (optional)
USB 3.0 total	1	
USB 2.0 total	2 (1 with Anytime USB Charge functionality)	3 (1 with Anytime USB Charge functionality)
VGA	1	1
HDMI	1	1
Ethernet (RJ-45)	1	1
DC-in	1	1
Audio: line-in / microphone	1	1
Audio: line-out / headphone	1	1
Internal microphones	1 (digital)	1 (digital)
Docking connector for Port Replicator	1	1
Kensington Lock support	1	1
Wired communication		
Modem type	Optional: 56 K V.92 modem MDC1.5	
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM	Built-in 10/100/1000 MBit/s Intel® 82579 V
Keyboard and pointing devices		
	Optional spill-resistand keyboard or anti-bacterial spill-resistant keyboard	
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	
	Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel	
	Optional: Fingerprint sensor	
	Application buttons	
Multimedia		
Audio type	On board	
Audio codec	Realtek ALC269	
Audio features	Stereo speakers, 1x built-in microphone	
Camera	Optional: Built-in webcam, 1.3 megapixel	
Power supply		
AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology	
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter	
1st battery options	Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh	
	Li-Ion battery 6-cell, 6200 mAh, 67 Wh	

Power supply

2nd battery (optional)	Li-Ion battery 3-cell, 2500 mAh, 27 Wh
Runtime 1st battery	Up to 11:30 h
Runtime 1st + 2nd battery	Up to 16:30 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. Rapid charge with 5.800 mAh batteries

Related Processors for power consumption

Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=1e990b41-cd6c-41c8-9995-3094b6654025
----------------------------	---

Dimensions / Weight / Environmental

Dimensions (W x D x H)	321 x 228 x 27.1-35.5 mm (depending on display) mm
Weight	1.6-1.9 kg (depending on display)
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 % (running)

Additional Software

Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Fujitsu Recovery (Hard Disk Based Recovery)
Additional software (optional)	Recovery DVD (Windows® 7) Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software

Manageability

Manageability technology	DeskUpdate Driver management iAMT 7.0 Intel® vPro™ technology	DeskUpdate Driver management
Manageability software	DeskView 10.x client management including:	
DeskView components	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)	
Supported standards	WMI PXE BootP (made4you)	
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html	

Security

System protection	Kensington Lock support
Audit proof protection	Computrace® enabled BIOS Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 90 days version

Security	
Access protection	Optional: Integrated fingerprint sensor including Omnipass software Optional: Access protection via external SmartCard reader Hard disk password User and supervisor BIOS password

Compliance	
Germany	GS in progress
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 Compliant with ISO 9241-307 (Pixel fault class II) EPEAT® in progress (dedicated regions)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Port Replicator interfaces (optional)	
	Portreplicator
DC-in	1
Power on switch	1
Audio: line-out / headphone	1
USB 2.0 total	4
VGA	1
DVI	1
Serial (RS-232)	1
Ethernet (RJ-45)	1
Parallel	1
Kensington Lock support	1
eSATA	1
Notes	Port replicator does not support 0-Watt technology

Warranty	
Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)
Maintenance and Support Services - the perfect extension	
Recommended Service	5x9, Response Time: Next Business Day
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice

Recommended Accessories

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)



Flexibility, expandability, desktop replacement – to name just a few benefits of Fujitsu docking options.

Order Code:
S26391-F655-L100

Order Code:
S26391-F655-L300

2nd battery

With a second battery you can maximize the working time of your notebook and work wherever you want for a whole working day. Just put the 2nd battery into the modular bay and enjoy truly mobile working – free from the power socket!

Order Code:
S26391-F954-L500

Car / Truck / Air Adapter

People who are often on business or private trips want to power up and recharge their handhelds, tablet PCs and notebooks anywhere and anytime. Fujitsu's goal is to anticipate our customers' wishes and therefore we offer the Car / truck / air adapter for use in cars, lorries, boats, caravans and airplanes. This power adapter fulfills two basic functions: charging and powering of the device through transformation of the on-board voltage (11 - 32 V) and on the other hand protection of the connected device against interference - for more power on the move.

Order Code:
S26391-F2613-L600

**MicroSaver® Master Access DS,
MicroSaver® DSMicrosaver® DS
Ultra thin**

Losing your notebook is unthinkable. Protect your computer with incomparable security, the disc lock. The most advanced disc locking technology is featured with carbon tempered steel core cable, external braided steel sheath, and patented T-Bar. This model offers the Master Access solution. The Kensington MicroSaver® DS Keyed Ultra-Thin Notebook Lock is designed for the ultimate defense of even the thinnest notebook. The nearly impenetrable disk style keyed locking mechanism along with an advanced cable design provides greater security.

Order Code:
S26361-F1650-L900

Privacy filter

Privacy filters help block the screen view from anyone viewing the computer from a side view. 3M's unique microblouver privacy technology allows persons directly in front of the computer to see on-screen data clearly. 3M offers the broadest line of computer filters available.

Order Code:
S26391-F6097-L134

Prestige Case Mini

Zip-down case with cushioned notebook compartment; new front design with separate exterior compartments for accessories like AC Adapter, cables etc., cushioned shoulder strap.

Order Code:
S26391-F119-L151

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK S761, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK S761, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://ts.fujitsu.com/mobile>

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2011-05-02 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions